


# ART SILKRIO

Auto Dispenser Standard Color Card



## 丝绸金属

全自动电脑调色机色卡

丝绸一般的光泽和纹理，高雅华贵，奢华品味  
*Silky sheen and texture, elegant and luxurious*

# 丝绸金属

## 产品介绍：

丝绸金属源于意大利经典的金属漆系列，具有琼脂一样晶莹剔透的外观性状，绚丽饱满的金属光泽。施工非常简单，普通工人当天就可以上墙操作。墙面效果象丝绸一样的充满高雅的柔润光泽，手感非常顺滑。正常条件下丝绸金属施工完毕，具有非常高的防水，耐污和抗紫外性能，配合外墙色浆，可以直接用于外墙，质量保证达10年。丝绸金属也可以用作高档的细腻金属漆，喷涂时遮盖率高。通过电脑调色机进行调色，变化出成千上万各类绸缎光效果的金属漆。

## 施工工艺：

1. 基层处理，符合国家室内油工验收标准，腻子批刮二到三遍，打磨平整，墙面正负公差小于2毫米；
2. 滚涂抗碱封闭底漆。
3. 揉擦第一遍底
4. 揉擦第二遍造型。
5. 也可以用各类釉料复合擦色。

**备注：**丝绸金属，直接用海藻绵造型，配合缓干剂，石纹彩，金属漆等釉料，可以制作出各类复古的艺术效果。正品丝绸金属耐擦洗性较高，涂膜厚度不超过0.2毫米。

## 色彩系统：

根据北美最新流行色，推出的丝绸金属共有（90）个常用标准色，色彩从浅及深，按国际标准的色阶逐行排列和编号，输入编号，即可得到标准色，最小调漆量实际测量仅为 $\leq 50$ 克。也可根据消费者的实际需求，采用高精度电脑调色机，进行色彩DIY，从而衍生出可以复制的，成千上万不同的色彩。调色系统的色浆，采用世界上最顶级的德国品牌原装进口水性色浆，具有无与伦比的色彩还原性和上色率，同时通过了德国蓝天使最高环保等级标准的检测。

## 适用范围：

欧施泥公司的丝绸金属广泛应用到各类场所，如：别墅，会所，酒店，公寓，商场，学校，办公楼等；空间应用如：大堂，过道，公共区域，教室，客厅，卧室，书房，卫生间和厨房等；局部细节可以应用至：墙面，天花，灯池，龕，背景墙等室内空间。在中国迅猛发展的个性化和时尚化的室内装饰领域，丝绸金属将承担改变空间色彩和肌理的重要角色。

## 环保指标：

丝绸金属系列，通过了国家最严格的环保检测标准，所有涂料中的有害物质，均在抽样检测中为：未检出状态。同时欧施泥公司系列的产品，也通过了国际上著名的：法国环保A+认证，北美建筑LEED检测，德国环保蓝天使VOC检测等。

检测项目	标准要求	检测结果	单项结论
挥发物（VOC）	$\leq 120$	未检出	符合
苯和游离苯	$\leq 100$	未检出	符合
可溶重金属Pb Cd Cr Hg	$\leq 60$	均未检出	符合

本系列色卡中的小色块，因为人眼视觉角度的原因，会比实际上墙施工的色彩略浅，系列色卡中的任意色彩，均以复制尺寸300\*300及以上大样板的色彩为准，以期达到和墙面尽可能接近的颜色。



OST-SC-1001



OST-SC-1004



OST-SC-1007



OST-SC-1010



OST-SC-1013



OST-SC-1016



OST-SC-1002



OST-SC-1005



OST-SC-1008



OST-SC-1011



OST-SC-1014



OST-SC-1017



OST-SC-1003



OST-SC-1006



OST-SC-1009



OST-SC-1012



OST-SC-1015



OST-SC-1018



OST-SC-1019



OST-SC-1022



OST-SC-1025




OST-SC-1028



OST-SC-1031



OST-SC-1034



OST-SC-1020



OST-SC-1023



OST-SC-1026



OST-SC-1029



OST-SC-1032



OST-SC-1035



OST-SC-1021



OST-SC-1024




OST-SC-1027



OST-SC-1030



OST-SC-1033



OST-SC-1036



OST-SC-1037



OST-SC-1040




OST-SC-1043



OST-SC-1046



OST-SC-1049



OST-SC-1052



OST-SC-1038



OST-SC-1041



OST-SC-1044



OST-SC-1047



OST-SC-1050



OST-SC-1053



OST-SC-1039



OST-SC-1042



OST-SC-1045



OST-SC-1048



OST-SC-1051



OST-SC-1054



OST-SC-1055



OST-SC-1058



OST-SC-1061



OST-SC-1064



OST-SC-1067




OST-SC-1070



OST-SC-1056



OST-SC-1059



OST-SC-1062



OST-SC-1065



OST-SC-1068




OST-SC-1071



OST-SC-1057



OST-SC-1060



OST-SC-1063



OST-SC-1066



OST-SC-1069



OST-SC-1072



OST-SC-1073



OST-SC-1076



OST-SC-1079



OST-SC-1082



OST-SC-1085



OST-SC-1088



OST-SC-1074



OST-SC-1077



OST-SC-1080



OST-SC-1083



OST-SC-1086



OST-SC-1089



OST-SC-1075



OST-SC-1078



OST-SC-1081



OST-SC-1084



OST-SC-1087



OST-SC-1090





# ART SILKRIO

## Product Description:

ART SILKRIO is originated from Italian classic metallic paint series, with agar-like crystal appearance and brilliant metallic sheen. With simple application, ordinary works can operate on walls at the same day. Wall surface has silky soft sheen and touch full of elegance. Under normal conditions, ART SILKRIO has very high water, stain and UV resistance after application. It can be applied on external walls with external wall color paste, which has quality assurance of 10 years. ART SILKRIO can serve as high class delicate metallic paint which has high covering rate when sprayed. With the use auto dispensers, it can create thousand kinds of metallic paint with silky effects.

## Application Method:

1. Base check: The base shall conform to the national indoor paintwork acceptance criteria. Scrape the putty twice or three times, polish and level to make the plus-minus tolerance of the wall surface less than 2mm
2. Roll paint with alkali-resistant close primer or professional primer.
3. Scrape on the base.
4. Scrape second time for modelling.
5. Coordinated with various glazes for complex brush-off.

**Note:** ART SILKRIO, modeled by seaweed sponge and coordinated with slow drying, metallic paint and other glazes, can create various vintage artistic effects. Original ART SILKRIO has high scrubbing resistance, with less than 0.2mm of paint film.

## Color System:

According to the latest trend color in North America, ART SILKRIO launched has 90 common standard colors, which are sorted and

numbered from light to dark, row by row according to international standard color levels. Input the number and then get the standard color. The minimum paint adjustment amount is less than 50 grams. Also, based on consumers demand, high-accuracy auto dispensers can be used to apply color DIY as to make thousands of different duplicated colors. Color paste color dispensing system uses the world top brand water color paste originally imported from Germany, which have excellent color restoration and dyeing rate and has passed the test of German Blue Angel's highest environmental protection degree.

## Space Application:

The ART SILKRIO has been widely applied in various places, such as villas, clubs, hotels, apartments, shopping malls, schools and office buildings. Space applications include lobbies, aisles, public areas, classrooms, living rooms, bedrooms, study rooms, bathrooms, kitchens and other rooms. Details can also be used for wall surface, ceilings, lamp pools, niche, background walls and other internal space. In the Chinese rapidly developing personalized and fashionable interior decoration market, ART SILKRIO will be take an important part in changing space colors and texture.

## Environmental Protection Index:

ART SILKRIO has reached the strictest national environmental protection testing standards. In the testing, no hazardous chemicals were detected in all paint. Meanwhile, series products have passed world-known accreditation, French A+ Certification, LEED Test Report, German Blue Angel VOC Test Report.

Testing Items	Standard Requirement	Result	Single Conclusion
Volatile Organic Compounds ( VOC )	≤120	Not detected	Conformity
Benzene and free benzene	≤100	Not detected	Conformity
Pb Cd Cr Hg	≤60	Not detected	Conformity

Small color chip in the series color cards will look lighter than the actual color painted on the wall due to uneven natural wall angles. All colors in the series Color Cards are subject to the color in the big template with copy size 300\*300mm above to achieve the best color on the wall surface.

# ART SILKRIO


## 声明：

该系产品色卡 (Color Card)为：全自动电脑调色机 (Auto Dispenser) 调色，所有电脑数据均经过实际操作检测，拥有无与伦比的准确性和可复制性。我方对全部数据拥有知识产权，对未经我方许可，使用该数据库，进行商业活动的公司和个人，我们将追究相应的法律责任。

我方拥有以上全自动电脑调色机，色卡，空间配色系统，产品和工艺的最终解释权。关于该系列产品色卡和工艺的 DIY 应用，我方将在系统专业色彩的培训中，做更详细讲解。

## Statement:

The color card of our full series products is tuned by the auto dispenser. All computer data have been tested by real operations and have excellent accuracy and duplication. The company owns the intellectual property for all data. Unauthorized data usage for business activity by company or individual is prohibited and shall bear all responsibilities. reserves the right of final explanation for the above auto dispensers, color cards, space matching system, products and technology. Further explanation about the DIY application series color cards and technology will be discussed in the company's professional color training.



法国环境A+认证  
A+ Certification,FR



北美LEED检测  
Building LEED Test Report



德国蓝天使VOC检测  
BLUE ANGEL Test Report, GER



丹麦国家认证  
DANAK accreditation