

TEXTURE PAINT

Auto Dispenser Standard Color Card



泰格斯特

全自动电脑调色机色卡

追求自然的造型肌理，质量恒久，天然环保

Natural modelling texture with lasting quality and environment harmony



OST-TG-1052 (拉毛)

泰格斯特

色彩系统：

根据北美最新流行色，泰格斯特共有（52）个常用标准色，色彩从浅及深，按国际标准的色阶逐行排列和编号，输入编号，即可得到标准色，最小调漆量实际测量仅为 ≤ 50 克。也可根据消费者的实际需求，采用高精度电脑调色机，进行色彩的DIY，从而衍生出可以复制的，成千上万不同的色彩。调色系统的色浆采用世界上最顶级的德国品牌原装进口水性色浆，具有无与伦比的色彩还原性和上色率，同时通过了德国蓝天使最高环保等级标准的检测。

适用范围：


泰格斯特系列广泛应用到各类场所，如：别墅，会所，酒店，公寓，商场，学校，办公楼等；空间应用如：大堂，过道，公共区域，教室，客厅，卧室，书房，卫生间和厨房等；局部细节可以应用至：墙面，天花，灯池，龕，背景墙等室内空间。在中国迅猛发展的个性化和时尚化的室内装饰领域，泰格斯特将承担改变空间色彩和肌理的重要角色。

环保指标：


泰格斯特系列，通过了国家最严格的环保检测标准，所有涂料中的有害物质，均在抽样检测中为：未检出状态。同时公司系列的产品，也通过了国际上著名的：法国环保A+认证，北美建筑LEED检测，德国环保蓝天使VOC检测等。

检测项目	标准要求	检测结果	单项结论
挥发物（VOC）	≤ 120	未检出	符合
苯和游离苯	≤ 100	未检出	符合
可溶重金属Pb Cd Cr Hg	≤ 60	均未检出	符合


本系列色卡中的小色块，因为人眼视觉角度的原因，会比实际上墙施工的色彩略浅，系列色卡中的任意色彩，均以复制尺寸300*300及以上大样板的色彩为准，以期达到和墙面尽可能接近的颜色。




OST-TG-1001




OST-TG-1002




OST-TG-1003



OST-TG-1004



OST-TG-1005




OST-TG-1006



OST-TG-1007




OST-TG-1008



OST-TG-1009




OST-TG-1010



OST-TG-1011




OST-TG-1012



OST-TG-1013



OST-TG-1014



OST-TG-1015



OST-TG-1016



OST-TG-1017




OST-TG-1018



OST-TG-1019



OST-TG-1020



OST-TG-1021



OST-TG-1022



OST-TG-1023




OST-TG-1024



OST-TG-1025



OST-TG-1026



OST-TG-1027

产品介绍：

泰格斯特是源于意大利的经典造型涂料，花纹独特，手感舒适。泰格斯特具有特殊的吸色性，上色时柔润自然。实际施工时，必须等泰格斯特造型完全干燥后，然后用水墨晕染的手法，从淡到浓，从深到浅的进行上色。（切忌：一定要用稀释的：石纹彩，缓干剂或金属漆等，给泰格斯特上色）可以产生更接近自然界的色彩。上色完毕后，也可以根据实际情况，滚涂萤火虫罩光和黑洞罩光，来制作更丰富的艺术效果，同时提高其防水，耐污，防紫外线等更多功能。

Product Description:


TEXTURE PAINT is Italian classic modeling paint with unique texture and soft touch. TEXTURE PAINT has special color absorption and it is smooth and natural when colored. In actual application, be sure to wait until TEXTURE PAINT shape is completely dry. Then start coloring from weak to strong and from dark to bright by means of ink blooming. (Note: Be sure to use diluted color stone, slow drying or metallic paint to color for TEXTURE PAINT) It can create more natural colors. After coloring, roll paint firefly varnish and black hole varnish based on actual situation to create richer artistic effects and meanwhile improve its performance on water, stain and UV resistance.



OST-TG-1028



OST-TG-1029



OST-TG-1030



OST-TG-1031



OST-TG-1032




OST-TG-1033



OST-TG-1034



OST-TG-1035



OST-TG-1036



施工工艺：

1. 基层处理，符合国家室内油工验收标准，腻子批刮二到三遍，打磨平整，墙面正负公差小于2毫米；
2. 滚涂抗碱封闭底漆；
3. 批刮第一遍底；
4. 批刮第二遍造型或者用海藻绵等工具造型；
5. 一定要用稀释的：石纹彩，缓干剂或金属漆等，给泰格斯特上色，可以用水墨晕染的手法，从淡到浓，从深到浅的进行上色。可以产生更接近自然界的色彩。

备注：泰格斯特，用灰刀造型，可以产生各类厚浆肌理效果，质感强烈，上色柔润，手感细腻而柔软。正品泰格斯特白料比重较轻，大概在1.2到1.3之间。


Application Method:

1. Base check: The base shall conform to the national indoor paintwork acceptance criteria. Scrape the putty twice or three times, polish and level to make the plus-minus tolerance of the wall surface less than 2mm
2. Roll paint with alkali-resistant close primer or professional primer.
3. Scrape on the base.
4. Scrape second time for shaping.
5. Be sure to use diluted SKIN MARBLE, GLAZE or metallic paint to color for TEXTURE. By using ink blooming method and start coloring from weak to strong and from dark to bright, it can create more natural colors.


Note: TEXTURE PAINT modeled by putty knife can create various mastic effects, with strong texture, soft coloring and smooth touch. Original TEXTURE PAINT has small proportion of white material, between 1.2 to 1.3 density.




OST-TG-1037



OST-TG-1038



OST-TG-1039



OST-TG-1040




OST-TG-1041



OST-TG-1042



OST-TG-1043




OST-TG-1044




OST-TG-1045



OST-TG-1046




OST-TG-1047




OST-TG-1048



OST-TG-1049 (拉丝)



OST-TG-1050 (石纹)



OST-TG-1051 (布纹)

TEXTURE

Color System:

According to the latest trend color in North America, SWAROVSKI PAINT launched has 52 common standard colors, which are sorted and numbered from light to dark, row by row according to international standard color levels. Input the number and then get the standard color. The minimum paint adjustment amount is less than 50 grams. Also, based on consumers demand, high-accuracy auto dispensers can be used to apply color DIY as to make thousands of different duplicated colors. Color paste color dispensing system uses the world top brand water color paste originally imported from Germany, which have excellent color restoration and dyeing rate and has passed the test of German Blue Angel's highest environmental protection degree.

Space Application:

The TEXTURE PAINT has been widely applied in various places, such as villas, clubs, hotels, apartments, shopping malls, schools and office buildings. Space applications include lobbies, aisles, public areas, classrooms, living rooms, bedrooms, study rooms, bathrooms, kitchens and other rooms. Details can also be used for wall surface, ceilings, lamp pools, niche, background walls and other internal space. In the Chinese rapidly developing personalized and fashionable interior decoration market, TEXTURE PAINT will be take an important part in changing space colors and texture.

Environmental Protection Index:

TEXTURE PAINT has reached the strictest national environmental protection testing standards. In the testing, no hazardous chemicals were detected in all paint. Meanwhile, series products have passed world-known accreditation, French A+ Certification, LEED Test Report, German Blue Angel VOC Test Report.

Testing Items	Standard Requirement	Result	Single Conclusion
Volatile Organic Compounds (VOC)	≤120	Not detected	Conformity
Benzene and free benzene	≤100	Not detected	Conformity
Pb Cd Cr Hg	≤60	Not detected	Conformity

Small color chip in the series color cards will look lighter than the actual color painted on the wall due to human nature visual angle. All colors in the series Color Cards are subject to the color in the big template with copy size 300*300 or above to achieve the same color as the wall surface.

TEXTURE PAINT


声明：

该系产品色卡 (Color Card)为：全自动电脑调色机 (Auto Dispenser) 调色，所有电脑数据均经过实际操作检测，拥有无与伦比的准确性和可复制性。我方对全部数据拥有知识产权，对未经我方许可，使用该数据库，进行商业活动的公司和个人，我们将追究相应的法律责任。

我方拥有以上全自动电脑调色机，色卡，空间配色系统，产品和工艺的最终解释权。关于该系列产品色卡和工艺的 DIY 应用，我方将在系统专业色彩的培训中，做更详细讲解。

Statement:

The color card of our full series products is tuned by the auto dispenser. All computer data have been tested by real operations and have excellent accuracy and duplication. The company owns the intellectual property for all data. Unauthorized data usage for business activity by company or individual is prohibited and shall bear all responsibilities. reserves the right of final explanation for the above auto dispensers, color cards, space matching system, products and technology. Further explanation about the DIY application series color cards and technology will be discussed in the company's professional color training.



法国环境A+认证
A+ Certification,FR



北美LEED检测
Building LEED Test Report



德国蓝天使VOC检测
BLUE ANGEL Test Report, GER



丹麦国家认证
DANAK accreditation