

ARSA VELVET

Auto Dispenser Standard Color Card



阿尔萨丝绒

全自动电脑调色机色卡

天鹅绒般的柔软触感，润泽奢华的金属光泽

Velvet-like soft touch, luxurious metallic golden texture

阿尔萨丝绒

产品介绍：

阿尔萨丝绒，源于纯正的意大利风格哑光金属造型漆，通过简单滚涂和打磨，可以产生皇家绸缎般的金属光泽和顶级天鹅绒般的柔软手感，仿佛给墙面穿上了一件纯正的真丝面衣。阿尔萨丝绒具有双向透水透气性，墙体内部的湿气可以毫无阻碍的蒸发出来，应用于地下室时，可以保证墙体内部腻子的干燥性，防止墙体的粉化和脱落。当然，当墙体表面有水气时，其表面的防水耐污性也较差，如需要提高表面防水性时，需要擦涂硅丙罩光。

施工工艺：

1. 基层处理，符合国家室内油工验收标准，腻子批刮二到三遍，打磨平整，墙面正负公差小于2毫米；
2. 滚涂绒砂漆（皮革漆），也可以用调色机调色后，滚涂；
3. 滚涂阿尔萨丝绒，同时用塑料抹刀或圆头不锈钢抹刀打磨；
4. 再次滚涂阿尔萨丝绒，并打磨一遍，既可以完活。

备注：阿尔萨丝绒的防水性不佳，如果需要其具有防水性，可以擦涂或喷涂硅丙罩光，随后其防水，性耐污性会提升到很好的水准，但同时天鹅绒般的手感也会下降比较多。

色彩系统：

根据北美最新流行色，阿尔萨丝绒共有（92）个常用标准色，色彩从浅及深，按国际标准的色阶逐行排列和编号，输入编号，即可得到标准色，最小调漆量实际测量仅为 ≤50克。也可根据消费者的实际需求，采用高精度电脑调色机，进行色彩的DIY，从而衍生出可以复制的，成千上万不同的色彩。调色系统的色浆，采用世界上最顶级的德国品牌原装进口水性色浆，具有无与伦比的色彩还原性和上色率，同时通过了德国蓝天使最高环保等级标准的检测。

适用范围：

阿尔萨丝绒广泛应用到各类场所，如：别墅，会所，酒店，公寓，商场，学校，办公楼等；空间应用如：大堂，过道，公共区域，教室，客厅，卧室，书房，卫生间和厨房等；局部细节可以应用至：墙面，天花，灯池，龕，背景墙等室内空间。在中国迅猛发展的个性化和时尚化的室内装饰领域，阿尔萨丝绒将承担改变空间色彩和肌理的重要角色。


环保指标：

阿尔萨丝绒系列，通过了国家最严格的环保检测标准，所有涂料中的有害物质，均在抽样检测中为：未检出状态。同时改系列的产品，也通过了国际上著名的：法国环保A+认证，北美建筑LEED检测，德国环保蓝天使VOC检测等。

检测项目	标准要求	检测结果	单项结论
挥发物（VOC）	≤120	未检出	符合
苯和游离苯	≤100	未检出	符合
可溶重金属Pb Cd Cr Hg	≤60	均未检出	符合

本系列色卡中的小色块，仅供入墙参考，实际施工时，建议以实际上墙施工后的色块为准，系列色卡中的标准色卡，均以规格尺寸300*300及以上大样板的色彩为准，以期达到和墙面尽可能接近的颜色。

OST-AS-102 (标准色)



OST-AS-1001



OST-AS-1002



OST-AS-1003



OST-AS-1004



OST-AS-1005



OST-AS-1006



OST-AS-1007



OST-AS-1008



OST-AS-1009



OST-AS-1010



OST-AS-1011



OST-AS-1012



OST-AS-1013



OST-AS-1014



OST-AS-1015



OST-AS-1016



OST-AS-1017



OST-AS-1018




OST-AS-1019



OST-AS-1020




OST-AS-1021



OST-AS-1022



OST-AS-1023



OST-AS-1024




OST-AS-1025



OST-AS-1026



OST-AS-1027




OST-AS-1028



OST-AS-1029




OST-AS-1030




OST-AS-1031




OST-AS-1032




OST-AS-1033




OST-AS-1034




OST-AS-1035



OST-AS-1036



OST-AS-1037



OST-AS-1038



OST-AS-1039



OST-AS-1040





OST-AS-1041



OST-AS-1042



OST-AS-1043



OST-AS-1044



OST-AS-1045



OST-AS-1046



OST-AS-1047



OST-AS-1048



OST-AS-1049



OST-AS-1050



OST-AS-1051



OST-AS-1052



OST-AS-1053



OST-AS-1054



OST-AS-1055



OST-AS-1056



OST-AS-1057




OST-AS-1058




OST-AS-1059



OST-AS-1060




OST-AS-1061




OST-AS-1062




OST-AS-1063



OST-AS-1064



OST-AS-1065




OST-AS-1066




OST-AS-1067




OST-AS-1068




OST-AS-1069




OST-AS-1070




OST-AS-1071




OST-AS-1072




OST-AS-1073




OST-AS-1074




OST-AS-1075




OST-AS-1076




OST-AS-1077




OST-AS-1078




OST-AS-1079




OST-AS-1080




OST-AS-1081




OST-AS-1082




OST-AS-1083




OST-AS-1084




OST-AS-1085




OST-AS-1086




OST-AS-1087



OST-AS-1088



OST-AS-1089



OST-AS-1090



OST-AS-1091



OST-AS-1092

ARSA VELVET

Product Description:

ARSA VELVET is originated from pure Italian modelling matte golden modelling paint. By simple roll painting and polishing the surface, it can make royal silky metallic golden sheen and superior velvet-like soft touch, as if the wall puts on silk clothing. ARSA VELVET has bidirectional water permeability, so the moisture inside the wall can be evaporated freely. Applying it in the basement can guarantee the dryness of the putty inside the wall and prevent chalking and breakaway of the wall. When the wall has moisture on its surface, it has low water resistance and stain resistance for certain. To improve the surfaces water resistance, brush with silicone acrylic varnish.

Application Method:

1. Base check: The base shall conform to the national indoor paintwork acceptance criteria. Scrape the putty twice or three times, polish and level to make the plus-minus tolerance of the wall surface less than 2mm
2. Roll paint with LEATHER PAINT or roll paint after coloring of auto dispensers.
3. Roll paint with ARSA VELVET. Meanwhile polish with plastic trowel or round head stainless steel trowel.
4. Roll paint with ARSA VELVET again and polish once more. The work is done.

Note: ARSA VELVET doesn't have good water resistance. To improve its water resistance, brush or spray with silicone acrylic varnish, which levels up its water and stain resistance but lowers its velvet-like touch.

Color System:

According to the latest trend color in North America, ARSA VELVET launched by has 92 common standard colors, which are sorted and numbered from light to dark, row by row according to international standard color levels. Input the number and then get the standard color. The minimum paint adjustment amount is less than 50 grams. Also, based on consumers demand, high-accuracy auto dispensers can be used to apply color DIY as to make thousands of different duplicated colors. Color paste of color dispensing system uses the world top brand water color paste originally imported from Germany, which have excellent color restoration and dyeing rate and has passed the test of German Blue Angel's highest environmental protection degree.

Space Application:


The ARSA VELVET has been widely applied in various places, such as villas, clubs, hotels, apartments, shopping malls, schools and office buildings. Space applications include lobbies, aisles, public areas, classrooms, living rooms, bedrooms, study rooms, bathrooms, kitchens and other rooms. Details can also be used for wall surface, ceilings, lamp pools, niche, background walls and other internal space. In the Chinese rapidly developing personalized and fashionable interior decoration market, ARSA VELVET will take an important part in changing space colors and texture.

Environmental Protection Index:

SWAROVSKI PAINT has reached the strictest national environmental protection testing standards. In the testing, no hazardous chemicals were detected in all paint. Meanwhile, Series products have passed world-known accreditation, French A+ Certification, LEED Test Report, German Blue Angel VOC Test Report.

Testing Items	Standard Requirement	Result	Single Conclusion
Volatile Organic Compounds (VOC)	≤120	Not detected	Conformity
Benzene and free benzene	≤100	Not detected	Conformity
Pb Cd Cr Hg	≤60	Not detected	Conformity

Small color chip in the series color cards will look lighter than the actual color painted on the wall due to human nature visual angle. All colors in the series Color Cards are subject to the color in the big template with copy size 300*300 or above to achieve the same color as the wall surface.



OST-AS-130 (标准色)



OST-AS-122 (标准色)



OST-AS-124 (标准色)

ARSA VELVET

声明：

该系产品色卡 (Color Card)为：全自动电脑调色机 (Auto Dispenser) 调色，所有电脑数据均经过实际操作检测，拥有无与伦比的准确性和可复制性。我方对全部数据拥有知识产权，对未经我方许可，使用该数据库，进行商业活动的公司和个人，我们将追究相应的法律责任。

我方拥有以上全自动电脑调色机，色卡，空间配色系统，产品和工艺的最终解释权。关于该系列产品色卡和工艺的 DIY 应用，我方将在系统专业色彩的培训中，做更详细讲解。

Statement:

The color card of our full series products is tuned by the auto dispenser. All computer data have been tested by real operations and have excellent accuracy and duplication. The company owns the intellectual property for all data. Unauthorized data usage for business activity by company or individual is prohibited and shall bear all responsibilities. reserves the right of final explanation for the above auto dispensers, color cards, space matching system, products and technology. Further explanation about the DIY application series color cards and technology will be discussed in the company's professional color training.



法国环境A+认证
A+ Certification, FR



北美LEED检测
Building LEED Test Report



德国蓝天使VOC检测
BLUE ANGEL Test Report, GER



丹麦国家认证
DANAK accreditation