

撒哈拉地貌的各类堆砂和无限斑斓的金属光泽 Various kinds of heap sand of Sahara Desert, and unlimited brilliant golden sheen OST-SS-1109(标准色) 超白银砂簇

05T-SS-1110 (标准色) 205金砂簇

砂簇

产品介绍:

砂簇,又名撒哈拉,是源于意大利的一类轻型质感堆砂涂料。 具有斑斓的金属光泽,砂质均匀圆润,施工非常简单,普通滚涂后, 用棕刷或海绵轻扫,就很容易起砂和堆积,形成撒哈拉地貌一样的 丰富造型和艺术效果。一般油工,不用培训,简单观看施工视频后, 就可以制作样板和在墙面施工,配合丰富的色卡色彩体系,轻松的 为各类业主,提供卓越的艺术墙面施工服务。

施工工艺:

- 1. 基层处理,符合国家室内油工验收标准,腻子批刮二到三遍,打磨平整,墙面正负公差小于2毫米;
- 2. 滚涂抗碱封闭底漆或专用底漆;
- 3. 用滚筒交叉滚涂砂簇一遍,边滚涂边用抹刀或海绵搓纹;
- 4. 也可以直接用棕刷扫涂造型。

备注:砂簇,边滚涂边用抹刀或海绵搓纹,或用鬃刷涂刷施工,可以产生明暗斑驳的沙丘效果,色感柔和,有颗粒手感且细腻,抗划伤性极强。

色彩系统:

根据北美最新流行色,砂簇系列共有(114)个常用标准色,色彩从浅及深,按国际标准的色阶逐行排列和编号,输入编号,即可得到标准色,最小调漆量实际测量仅为≤50克。也可根据消费者的实际需求,采用高精度电脑调色机,进行色彩的DIY,从而衍生出可以复制的,成于上万不同的色彩。调色系统的色浆,采用世界上最顶级的德国品牌原装进口水性色浆,具有无与伦比的色彩还原性和上色率,同时通过了德国蓝天使最高环保等级标准的检测。

适用范围:

砂簇系列广泛应用到各类场所,如:别墅,会所,酒店,公寓,商场,学校,办公楼等;空间应用如:大堂,过道,公共区域,教室,客厅,卧室,书房,卫生间和厨房等;局部细节可以应用至:墙面,天花,灯池,龛,背景墙等室内空间。在中国迅猛发展的个性化和时尚化的室内装饰领域,砂簇系列将承担改变空间色彩和肌理的重要角色。

环保指标:

砂簇系列通过了国家最严格的环保检测标准,所有涂料中的有害物质,均在抽样检测中为:未检出状态。同时该系列的产品,也通过了国际上著名的:法国环保A+认证,北美建筑LEED检测,德国环保蓝天使VOC检测等。


检测项目	标准要求	检测结果	单项结论
挥发物 (VOC)	≤120	未检出	符合
苯和游离苯	≤100	未检出	符合
可溶重金属Pb Cd Cr Hg	≤60	均未检出	符合

本系列色卡中的小色块,因为人眼视觉角度的原因,会比实际上墙施工的色彩略浅,系列色卡中的任意色彩,均以复制尺寸300*300及以上大样板的色彩为准,以期达到和墙面尽可能接近的颜色。















OST-SS-1112 (标准色) 130 铜砂簇



OST-SS-1113 (标准色) 122 铜砂簇



OST-SS-1114 (标准色) 124 铜砂簇

SUND DUNE

Product Description:

SAND DUNE (also named Sahara) is a new type of light texture heap sand paint originated from Italy. It has brilliant golden sheen, uniform sand particles and simple application performance. After simple roll painting, slightly brush with coir brush or sponge and it will easily have sanding and heaping, forming different shapes and artistic effects like Sahara Desert. Ordinary oily works can operate by simply watching the video without training, create samples and operate on the wall. Matched with rich color card system, it provides excellent art wall application services for all house owners.

Application Method:

- 1. Base check: The base shall conform to the national indoor paintwork acceptance criteria. Scrape the putty twice or three times, polish and level to make the plus-minus tolerance of the wall surface less than 2mm
- 2. Roll paint with alkali-resistant close primer or professional primer.
- Roll paint SAND DUNE crossover once with roller. When painting, force veins with spatula or sponge.
- 4. Use coir brush to brush and shape.

Note: SAND DUNE if roll painted with spatula or forced veins, or brushed with bristle brushes can create dark and bright sand dune effect, with smooth color sense, granular hand touch and strong scratch resistance.

Color System:

According to the latest trend color in North America, SUND DUNE launched has 114 common standard colors, which are sorted and numbered from light to dark, row by row according to international standard color levels. Input the number and then get the standard color. The minimum paint adjustment amount is less than 50 grams. Also, based on consumers demand, high-accuracy auto dispensers can be used to apply color DIY as to make thousands of different duplicated colors. Color paste color dispensing system uses the world top brand water color paste originally imported from Germany, which have excellent color restoration and dyeing rate and has passed the test of German Blue Angel's highest environmental protection degree.

Space Application:

The SUND DUNE Series has been widely applied in various places, such as villas, clubs, hotels, apartments, shopping malls, schools and office buildings. Space applications include lobbies, aisles, public areas, classrooms, living rooms, bedrooms, study rooms, bathrooms, kitchens and other rooms. Details can also be used for wall surface, ceilings, lamp pools, niche, background walls and other internal space. In the Chinese rapidly developing personalized and fashionable interior decoration market, SAND DUNE will be take an important part in changing space colors and texture.

Environmental Protection Index:

SAND DUNE Series has reached the strictest national environmental protection testing standards. In the testing, no hazardous chemicals were detected in all paint. Meanwhile, products have passed world-known accreditation, French A+ Certification, LEED Test Report, German Blue Angel VOC Test Report.

Testing Items	Standard Requirement	Result	Single Conclusion
Volatile Organic Compounds (VOC)	≤120	Not detected	Conformity
Benzene and free benzene	≤100	Not detected	Conformity
Pb Cd Cr Hg	≤60	Not detected	Conformity

Small color chip in the series color cards will look lighter than the actual color painted on the wall due to human nature visual angle. All colors in the series Color Cards are subject to the color in the big template with copy size 300*300 or above to achieve the same color as the wall surface.

声明:

该系产品色卡(Color Card)为:全自动电脑调色机(Auto Dispenser)调色,所有电脑数据均经过实际操作检测,拥有无与伦比的准确性和可复制性。我方对全部数据拥有知识产权,对未经我方许可,使用该数据库,进行商业活动的公司和个人,我们将追究相应的法律责任。

我方拥有以上全自动电脑调色机,色卡,空间配色系统,产品和工艺的最终解释权。 关于该系列产品色卡和工艺的 DIY 应用,我方将在系统专业色彩的培训中,做更详细讲解。

Statement:

The color card of our full series products is tuned by the auto dispenser. All computer data have been tested by real operations and have excellent accuracy and duplication. The company owns the intellectual property for all data. Unauthorized data usage for business activity by company or individual is prohibited and shall bear all responsibilities. reserves the right of final explanation for the above auto dispensers, color cards, space matching system, products and technology. Further explanation about the DIY application series color cards and technology will be discussed in the company's professional color training.







北美LEED检测 Building LEED Test Report



德国蓝天使VOC检测 BLUE ANGEL Test Report, GER

